## VAPT.E192514 Solenoids for Use in Hazardous Locations

Page Bottom

## Solenoids for Use in Hazardous Locations

See General Information for Solenoids for Use in Hazardous Locations

ATOS SPA E192514

VIA ALLA PIANA 57 21018 SESTO CALENDE, VA ITALY

## Class I, Groups C and D.

Model OA, followed by -12AC, -12DC, -24AC, -24DC, -110, -110DC, -125DC, -220, -220DC, with or without /O, with or without /wp, with or without /BT.

## Class I, Groups C and D for use with PWM inverter drives.

Models OZA-A, -A/24, -T, with or without /O (except for OZA-T model), with or without /wp, with or without /BT.

Last Updated on 2007-07-12

Questions? Notice of Disclaimer Page Top

Copyright © 2008 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

